Index of Authors, Subjects and Scientific Names

Volume 99

Compiled by Eleanor Russell

Acanthagenys rufogularis 157-169
Acanthiza apicalis 157-169, *A. chrysorrhoa* 157-169, *A. uropygialis* 157-169
Accipiter fasciatus 108-119, *A. novaehollandiae* 108-119
Adelie Penguin 144, 176-190
Aegotheles cristatus 253-261
Ailuroedus melanotis 108-119
Alcedo azurea 108-119
Alectura lathami 108-119
Alisterus scapularis 69-72
Anas superciliosa 108-119
Anatomy and morphology of *Menura novaehollandiae* 46-59
Anatomy and morphology, tail plumage development 46-59
ANDREW, P. (Review by) 154-156
Anous stolidus 36-39
Anseranas semipalmata 121-134
Antarctic Fulmar 144
Antarctic Petrel 176-190
Antarctic Tern 144
Antarctica 40-45, 176-190
Anthochaera carunculata 91-99, 157-169
Anthus novaehollandiae 157-169
Aphelocephala leucopsis 157-169
Aplonis metallica 108-119
Aprosmictus erythropterus 15-28, 108-119, 135-141
Aptenodytes forsteri 40-45, 142-145
Ardea alba 108-119, *A. intermedia* 108-119, *A. pacifica* 108-119
Arses kaupi 108-119
Artamus cinereus 135-141, *A. leucorhynchus* 135-141, *A. minor* 135-141
Auckland Islands 239-247
Audubon's Shearwater 100-107
Australian Brush Turkey 108-119
Australian King Parrot 69-72
Australian Magpie 85-90, 157-169
Australian Owlet-nightjar 253-261
Australian Raven 157-169
Australian Ringneck 157-169
Australian White Ibis 108-119
Aviceda subcristata 108-119
Azure Kingfisher 108-119
Band recovery of *Diomedea chrysostoma* 29-35, *D. melanophrys* 29-35
Banded Honeyeater 108-119
Bar-shouldered Dove 108-119
Barnardius zonarius 157-169
BASS, D. see McGRATH, R.J.
Behaviour of *Aegotheles cristatus* 253-261, *Alisterus scapularis* 69-72, *Anseranas semipalmata* 121-134, *Aptenodytes forsteri* 40-45, *Cacatua galerita* 69-72, *Calidris ferruginea* 218-222, *C. ruficollis* 218-222, *Calyptorhynchus lathami* 262-279, *Cathartacta maccormicki* 176-190, *Chionis minor* 292-295, *Corcorax melanorhamphos* 1-8, *Cormobates leucophaeus* 69-72, *Corvus mellori* 1-8, *Diomedea chrysostoma* 29-35, *D. melanophrys* 29-35, *D. exulans* 60-68, *Gymnorhina tibicen* 85-90, *Lichenostomus chrysops* 69-72, *L. frenatus* 69-72, *Meliphaga lewinii* 69-72, *Melithreptus lunatus* 69-72, *Orthonyx spaldingii* 280-290, *Phylidonyris nigra* 69-72, *Platycercus elegans* 69-72, *Podargus strigioides* 212-217, *Ptilonorhynchus violaceus* 69-72, *Ptiloris victoriae* 69-72, *Rhipidura rufifrons* 69-72, *Smicrornis brevirostris* 295-297, *Strepera graculina* 69-72, *Trichoglossus chlorolepidotus* 69-72, *T. haemotodus* 69-72
Behaviour towards humans, *Gymnorhina tibicen* 85-90
Behaviour, agonistic 85-90, 121-134, breeding 121-134, 262-279, displays 121-134, female-female pairing 292-295, foraging 69-72, 218-222, 253-261, groups 121-134, huddling 40-45, hunting 182-183, lek 233, movements in home range 60-68, 280-290, nesting 212-217, 262-279, nest attendance 121-134, nest defence 121-134, nest site tenacity 243, nocturnal activity 253-261, parental care 121-134, 176-190, 212-217, 262-279, post-hatch dispersal 121-134, social groups 280-290, territorial 280-290, thermoregulatory 40-45, vocal 280-290, 295-297
Biodiversity, tropical rainforest 108-119
Biogeography, island 100-107
Birds and fisheries 29-35, 60-68, 200-211
BISHOP, K.D. (Review by) 153-154, see COATES, B.
Black Butcherbird 108-119
Black Kite 108-119
Black Noddy 100-107
Black-browed Albatross 29-35
Black-faced Cuckoo-shrike 157-169
Black-faced Monarch 108-119
Black-faced Sheathbill 292-295
Black-necked Stork 145-147
Blue Noddy 100-107
Blue-faced Honeyeater 15-28, 108-119
Blue-winged Kookaburra 108-119
Bower's Shrike-thrush 108-119

BOYDEN, J. see TIDEMANN, S.C.
BRADFORD, M.G see CHAPMAN, A.
Breeding of *Anous minutus* 100-107, *A. stolidus* 36-39, 100-107, *Anthochaera carunculata* 91-99, *Aptenodytes forsteri* 142-145, *Calyptorhynchus lathami* 262-279, *Chionis minor* 292-295, *Gygis alba* 100-107, *Nesofregetta fuliginosa* 100-107, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Philemon corniculatus* 91-99, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Sula leucogaster* 100-107
Breeding season of *Anous stolidus* 36-39, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea exulans* 243, *Erythrura gouldiae* 191-199
Breeding success of *Anthochaera carunculata* 91-99, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea exulans* 243, *Erythrura gouldiae* 191-199, *Fulmarus glacialoides* 181, *Philemon corniculatus* 91-99, *Podargus strigioides* 212-217, *Pygoscelis adeliae* 181, *Thalassoica antarctica* 181
Breeding, colonial 36-39, 142-145, nest predation 148-152, 170-175, 262-279
BRETAGNOLLE, V. see THIBAULT, J-C.
Bridled Honeyeater 69-72, 108-119
BRIED, J., DURIEZ, O. & JUIN, G. A first case of female–female pairing in the Black-faced Sheathbill *Chionis minor* 292-295
BRIGHAM, R. M., GUTSELL, R.C.A., WIACEK, R.S. & GEISER, F. Foraging behaviour in relation to the lunar cycle by Australian Owlet-nightjars *Aegotheles cristatus* 253-261
Brown Booby 100-107
Brown Cuckoo-Dove 108-119
Brown Goshawk 108-119
Brown Honeyeater 15-28
Brown Noddy 36-39, 100-107
Brown Treecreeper 157-169
Brown-backed Honeyeater 108-119, 157-169
Cacatua galerita 69-72, 108-119, *C. roseicapilla*157-169, *C. sanguinea* 135-141
Calidris ferruginea 218-222, *C. ruficollis* 218-222
Calls (see Vocalisations)
Calyptorhynchus lathami 262-279
Cape Petrel 177
Cape Pigeon 144
Catharacta maccormicki 144, 176-190
Certhionyx pectoralis 108-119
Chalcophaps indica 108-119
CHAPMAN, A., BRADFORD, M.G. & HOSKIN, C.J. Sap suckers: a novel bird 'guild' in wet sclerophyll forests of tropical north Queensland 69-72
Chestnut Quail-thrush 157-169
Chestnut-breasted Mannakin 108-119
Chestnut-rumped Thornbill 157-169
Chionis minor 292-295
Chlamydera nuchalis 15-28, 135-141
Chowchilla 280-290
Christmas Shearwater 100-107
Chrysococcyx minutillus 108-119
CILENTO, N.L. & JONES, D.N. Aggression by Australian Magpies *Gymnorhina tibicen* toward human intruders 85-90
Cinclosoma castanotus 157-169
Circus assimilis 108-119
Climacteris picumnus 157-169
Clutch size of *Calyptorhynchus lathami* 262-279, *Erythrura gouldiae* 191-199, *Podargus strigioides* 212-217
COATES, B. & BISHOP, K.D. A Guide to the Birds of Wallacea (Review) 154-156
Collocalia spodiopygius 108-119
Colluricincla boweri 108-119, *C. harmonica* 108-119, 157-169, *C. megarhyncha* 108-119
Common Bronzewing 157-169
Common Diving Petrel 72-74
Common Koel 108-119
Conopophila albogularis 15-28
Conservation and management 148-152
Conservation and management of *Calyptorhynchus lathami* 262-279, *Dasyornis broadbenti* 9-14, *Diomedea exulans* 239-247, *Gymnorhina tibicen* 85-90, *Erythrura gouldiae* 191-199, *Lycocorax pyrrhopterus* 229-238, *Petroica australis* 222-226, *Semioptera wallacii* 229-238
COOKE, R. see WEBSTER, A.
Cooperative breeding of *Anseranas semipalmata* 121-134
Coracina novaehollandiae 157-169, *C. papuensis* 108-119, 135-141
Corcorax melanorhamphos 1-8, 157-169
Cormobates leucophaeus 69-72
Corvus coronoides 157-169, *C. mellori* 1-8, 157-169, *C. orru* 135-141
COSSEE, R.O. see WAUGH, S.M.
COURTNEY, John Edgar, Citation for John Hobbs Medal, 228
Cracticus nigrogularis 135-141, *C. quoyi* 108-119, *C. torquatus* 15-28, 135-141, 157-169
Crested Bellbird 157-169
Crimson Rosella 69-72
CROWLEY, G.M. see GARNETT, S.T.
CROXALL, J.P. see TUCK, G.N.
Crozet Island 60-68
CUNNINGHAM, R.B. see LINDENMAYER, D.B.
Curlew Sandpiper 218-222
Cyclopsitta diophthalma 108-119
Dacelo leachii 108-119, *D. novaeguineae* 108-119
DANN, P. Feeding periods and supratidal feeding of Red-necked Stints and Curlew Sandpipers in Western Port, Victoria 218-222
Daphoenositta chrysoptera 157-169

Daption capense 144, 177
Dasyornis broadbenti 9-14
DAVIS, L.S. see RENNER, M.
DAVIS, W.J. (review by) 84
Dicaeum hirundinaceum 108-119, 135-141
Dicrurus bracteatus 15-28, 108-119, 135-141
Diet (see Food and feeding habits)
Diomedea epomophora 200-211, *D. exulans* 60-68, 239-247, *D. chrysostoma* 29-35, *D. melanophrys* 29-35
Diseases and parasites of *Falco cenchroides* 291-292, *Falco peregrinus* 291-292
Distribution of *Anous minutus* 100-107, *A. stolidus* 100-107, *Dasyornis broadbenti* 9-14, *Diomedea chrysostoma* 29-35, *D. epomophora* 200-211, *D. melanophrys* 29-35, *Gygis alba* 100-107, *Lycocorax pyrrhopterus* 229-238, *Nesofregetta fuliginosa* 100-107, *Petroica australis* 222-226, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Semioptera wallacii* 229-238, *Sula leucogaster* 100-107
Double-eyed Fig-parrot 108-119
Dromaius novaehollandiae 248-252
Drymodes brunnopygia 157-169
Ducula bicolor 108-119
DUNCAN, P., WEBB, P.I. & PALMEIRIM, J.M. Distribution of New Zealand Robins within a forest mosaic 222-226
DUNLOP, J. N. & GOLDBERG, J.A. The establishment of a new Brown Noddy *Anous stolidus* breeding colony off south-western Australia 36-39
DURIEZ, O. see BRIED, J.
Dusky Honeyeater 15-28, 108-119
Eastern Bristlebird 9-14
Eastern Whipbird 108-119
Ecology of *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190, *Diomedea epomophora* 200-211, *Dromaius novaehollandiae* 248-252, *Erythrura gouldiae* 191-199, *Orthonyx spaldingii* 280-290
Ecology, biodiversity 248-252, bird species diversity 108-119, 157-169, bird species richness 108-119, competition 262-279, demography 262-279, edge effects 148-152, 157-169, 170-175, feeding, 69-72, 200-211, 248-252, habitat fragmentation 148-152, 157-169, 170-175, 222-226, nectarivore community 15-28, nectar resources 15-28, opportunistic nectarivory 135-141, sap-sucking guild 69-72, seed dispersal by *Dromaius novaehollandiae* 248-252, territoriality 280-290
Edge effects 148-152, 157-169, 170-175
Edge effects on *Acanthagenys rufogularis* 157-169, *Acanthiza apicalis* 157-169, *A. chrysorrhoa* 157-169, *A. uropygialis* 157-169, *Anthochaera carunculata* 157-169, *Anthus novaehollandiae* 157-169, *Aphelocephala leucopsis* 157-169, *Barnardius zonarius* 157-169, *Cacatua roseicapilla* 157-169, *Cinclosoma castanotus* 157-169, *Climacteris picumnus* 157-169, *Colluricincla harmonica* 157-169, *Coracina novaehollandiae* 157-169, *Corcorax melanorhamphos* 157-169, *Corvus coronoides* 157-169, *C. mellori* 157-169, *Cracticus torquatus* 157-169, *Daphoenositta chrysoptera* 157-169, *Drymodes brunnopygia* 157-169, *Glossopsitta porphhhyrocephala* 157-169, *Gymnorhina tibicen* 157-169, *Hirundo nigricans* 157-169, *Hylacola cauta* 157-169, *Lichenostomus chrysops* 157-169, *L. cratitius* 157-169, *L. leucotis* 157-169, *L. ornatus* 157-169, *L. penicillatus* 157-169, *L. virescens* 157-169, *Malurus lamberti* 157-169, *M. splendens* 157-169, *Manorina flavigula* 157-169, *Melanodryas cucullata* 157-169, *Melithreptus brevirostris* 157-169, *Microeca fascinans* 157-169, *Myiagra inquieta* 157-169, *Oreoica gutturalis* 157-169, *Pachycephala inornata* 157-169, *P. pectoralis* 157-169, *P. rufiventris* 157-169, *Pardalotus punctatus* 157-169, *P. striatus* 157-169, *Petroica goodenovii* 157-169, *Phaps chalcoptera* 157-169, *Phylidonyris albifrons* 157-169, *Plectorhyncha lanceolata* 157-169, *Pomatostomus superciliosus* 157-169, *Psephotus varius* 157-169, *Rhipidura fuliginosa* 157-169, *R. leucophrys* 157-169, *Smicrornis brevirostris* 157-169, *Strepera versicolor* 157-169, *Zosterops lateralis* 157-169
Eggs, description and measurement of, *Anous stolidus* 36-39, *Calyptorhynchus lathami* 262-279, *Catharacta maccormicki* 176-190
Eggs, hatching synchrony 121-134, laying 121-134
Egretta garzetta 108-119
ELLIOTT, G. see WALKER, K.
ELVISH, J. see TIDEMANN, S.C.
ELVISH, R. see TIDEMANN, S.C.
Emerald Dove 108-119
Emperor Penguin 40-45, 142-145
Emu 248-252
Endangered species, *Calyptorhynchus lathami* 262-279, *Erythrura gouldiae* 191-199
ENDE, J. see RAIDAL, S.
Energy expenditure of *Aptenodytes forsteri* 40-45
Entomyzon cyanotis 15-28, 108-119
Environment, influence of, on *Anous stolidus* 36-39, *Aptenodytes forsteri* 40-45, breeding 191-199, energy expenditure 40-45, *Erythrura gouldiae* 191-199, nocturnal activity 253-261
Ephippiorhynchus asiaticus 145-147
ERRITZOE, J. & ERRITZOE, H.B. Pittas of the World: a Monograph on the Pitta Family (Review) 299-300
Erythrura gouldiae 191-199
Eudynamys scolopacea 108-119
Eudyptula minor 74-80
Fairy Gerygone 108-119
Falco cenchroides 291-292, *F. peregrinus* 291-292
Fertility of *Calyptorhynchus lathami* 262-279
Figbird 15-28, 108-119

Fisheries and birds 200-211
Food and feeding habits of *Aegotheles cristatus* 253-261, *Alisterus scapularis* 69-72, *Aprosmictus erythropterus* 15-28, 135-141, *Artamus cinereus* 135-141, *A. leucorhynchus* 135-141, *A. minor* 135-141, *Cacatua galerita* 69-72, *C. sanguinea* 135-141, *Calidris ferruginea* 218-222, *C. ruficollis* 218-222, *Catharacta maccormicki* 176-190, *Chlamydera nuchalis* 15-28, 135-141, *Conopophila albogularis* 15-28, *Coracina papuensis* 135-141, *Cormobates leucophaeus* 69-72, *Corvus orru* 135-141, *Cracticus nigrogularis* 135-141, *C. torquatus* 15-28, 135-141, *Dicaeum hirundinaceum* 135-141, *Dicrurus bracteatus* 15-28, 135-141, *Diomedea epomophora* 200-211, *Dromaius novaehollandiae* 248-252, *Entomyzon cyanotis* 15-28, *Ephippiorhynchus asiaticus* 145-147, *Lichenostomus albogularis* 15-28, *L. chrysops* 69-72, *L. frenatus* 69-72, *L. indistincta* 15-28, *L. unicolor* 15-28, *Lalage sueurii* 15-28, 135-141, *Manorina flavigula* 15-28, *Meliphaga lewinii* 69-72, *Melithreptus lunatus* 69-72, *Myzomela erythrocephala* 15-28, *M. obscura* 15-28, *Oriolus flavicinctus* 15-28, 135-141, *O. sagittatus* 15-28, 135-141, *Pachycephala rufiventris* 135-141, *Pardalotus striatus* 135-141, *Philemon argenticeps* 15-28, *P. citreogularis* 15-28, *Phylidonyris nigra* 69-72, *Platycercus elegans* 69-72, *P. venustus* 135-141, *Pomatostomus temporalis* 135-141, *Ptilonorhynchus violaceus* 69-72, *Ptiloris victoriae* 69-72, *Rhipidura rufifrons* 69-72, *Sphecotheres viridis* 15-28, 135-141, *Strepera graculina* 69-72, *Taeniopygia bichenovii* 135-141, *Trichoglossus chlorolepidotus* 69-72, *T. haemotodus* 15-28, 69-72
Food and feeding habits, method of measurement 253-261
Food and feeding habits, nectar 15-28
Foraging (see Food and feeding habits)
FORD, H.A. Nest site selection and breeding success in large Australian honeyeaters: are there benefits in being different? 91-99
Forest Kingfisher 108-119
FORSHAW, J. Encyclopedia of birds: a comprehensive illustrated guide by international experts (Review) 84
Fragmentation, edge effects 148-152
FRANKLIN, D.C. & NOSKE, R.A. Birds and nectar in a monsoonal woodland: correlations at three spatio-temporal scales 15-28
FRANKLIN, D.C. Opportunistic nectarivory: an unusual dry season pattern among birds in monsoonal northern Australia 135-141
FRITH, C.B. & POULSEN, M.K. Distribution and status of the Paradise Crow *Lycocorax pyrrhopterus* and Standardwing Bird of Paradise *Semioptera wallacii*, with notes on biology and nidification 229-238
FRITH, C.B. (Review by) 299-300
Fulmarus glacialoides 144, 176-190
Galah 157-169
Gambier Island, eastern Polynesia 100-107
GARNETT, S.T., PEDLER, L.P. & CROWLEY, G.M. The breeding biology of the Glossy Black-Cockatoo *Calyptorhynchus lathami* on Kangaroo Island, South Australia 262-279
GAVRILO, M. see TODD, F.S.
GEISER, F. see BRIGHAM, R. M., KORTNER, G.
Geopelia humeralis 108-119
Gerygone magnirostris 108-119, *G. palpebrosa* 108-119
Gilbert's Whistler 157-169
Glossopsitta porphyrocephala 157-169, *G. pusilla* 108-119
Glossy Black-Cockatoo 262-279
GOLDBERG, J.A. see DUNLOP, J. N.
Golden Whistler 108-119, 157-169
Gouldian Finch 191-199
Graceful Honeyeater 108-119
Great Bowerbird 15-28
Great Egret 108-119
Grey Butcherbird 15-28, 157-169
Grey Currawong 157-169
Grey Fantail 108-119, 157-169
Grey Goshawk 108-119
Grey Shrike-thrush 108-119, 157-169
Grey-headed Albatross 29-35
GRIMMETT, R., INSKIPP, C. & INSKIPP, T. Birds of the Indian Subcontinent (Review) 153-154
Growth and development of *Calyptorhynchus lathami* 262-279, *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Podargus strigioides* 212-217
GUINEA, M.L. see WHITING, S.D.
GUTSELL, R.C.A. see BRIGHAM, R. M.
Gymnorhina tibicen 85-90, 157-169
Habitat fragmentation 157-169, 170-175, 222-226, 248-252
Habitat of *Accipiter novaehollandiae* 108-119, *Ailuroedus melanotis* 108-119, *Alcedo azurea* 108-119, *Alectura lathami* 108-119, *Anas superciliosa* 108-119, *Aplonis metallica* 108-119, *Aprosmictus erythropterus* 108-119, *Ardea alba* 108-119, *A. intermedia* 108-119, *A. pacifica* 108-119, *Arses kaupi* 108-119, *Aviceda subcristata* 108-119, *Cacatua galerita* 108-119, *Certhionyx pectoralis* 108-119, *Chalcophaps indica* 108-119, *Chrysococcyx minutillus* 108-119, *Circus assimilis* 108-119, *Collocalia spodiopygius* 108-119, *Colluricincla boweri* 108-119, *C. harmonica* 108-119, *C. megarhyncha* 108-119, *Coracina papuensis* 108-119, *Cracticus quoyi* 108-119, *Cyclopsitta diophthalma* 108-119, *Dacelo leachii* 108-119, *D. novaeguineae* 108-119, *Dasyornis broadbenti* 9-14, *Dicaeum hirundinaceum* 108-119, *Dicrurus bracteatus* 108-119, *Ducula bicolor* 108-119, *Egretta garzetta* 108-119, *Entomyzon cyanotis* 108-119, *Eudynamys scolopacea* 108-119, *Geopelia humeralis* 108-119, *Gerygone magnirostris* 108-119, *G. palpebrosa* 108-119, *Glossopsitta pusilla* 108-119, *Haliastur sphenurus* 108-119, *Lalage leucomela* 108-119, *L. sueurii* 108-119, *Lichenostomus flavicollis* 108-119, *L. flavus* 108-119, *L. frenatus* 108-119, *Lonchura castaneothorax*

108-119, *L. punctulata* 108-119, *Lopholaimus antarcticus* 108-119, *Lycocorax pyrrhopterus* 229-238, *Machaerirhynchus flaviventer* 108-119, *Macropygia amboinensis* 108-119, *Malurus amabilis* 108-119, *Manorina melanocephala* 108-119, *Megapodius reinwardt* 108-119, *Meliphaga lewinii* 108-119, *M. notata* 108-119, *M. gracilis* 108-119, *Merops ornatus* 108-119, *Microeca flavigaster* 108-119, *Milvus migrans* 108-119, *Monarcha leucotis* 108-119, *M. melanopsis* 108-119, *M. trivirgatus* 108-119, *Myiagra alecto* 108-119, *M. cyanoleuca* 108-119, *M. rubecula* 108-119, *Myzomela obscura* 108-119, *M. sanguinolenta* 108-119, *Nectarinia jugularis* 108-119, *Neochmia modesta* 108-119, *Oriolus flavocinctus* 108-119, *O. sagittatus* 108-119, *Pachycephala pectoralis* 108-119, *P. rufiventris* 108-119, *Petroica australis* 222-226, *Philemon argenticeps* 108-119, *P. buceroides* 108-119, *Pitta versicolor* 108-119, *Psophodes olivaceus* 108-119, *Ptilinopus magnificus* 108-119, *P. regina* 108-119, *P. superbus* 108-119, *Ptiloris victoriae* 108-119, *Ramsayornis modestus* 108-119, *Rhipidura fuliginosa* 108-119, *R. rufifrons* 108-119, *R. rufiventris* 108-119, *Semioptera wallacii* 229-238, *Sphecotheres viridis* 108-119, *Threskiornis molucca* 108-119, *T. spinicollis* 108-119, *Todiramphus macleayii* 108-119, *Tregellasia capito* 108-119, *Trichoglossus haemotodus* 108-119, *T. chlorolepidotus* 108-119, *Xanthotis macleayana* 108-119, *Zosterops lateralis* 108-119

Haliastur sphenurus 108-119

Hatching synchrony 121-134

Helmeted Friarbird 108-119

Herald Petrel 100-107

Hirundo nigricans 157-169

HOBBS MEDAL, Citation of John Edgar Courtney for, 228

Hooded Robin 157-169

HOSKIN, C.J. see CHAPMAN, A.

IMBER, M. Diet and feeding ecology of the Royal Albatross *Diomedea epomophora* – king of the shelf break 200-211

Incubation and incubation period of *Anseranas semipalmata* 121-134, *Calyptorhynchus lathami* 262-279, *Podargus strigioides* 212-217

Inland Thornbill 157-169

INSKIPP, C. see GRIMMETT, R.

INSKIPP, T. see GRIMMETT, R.

Interaction with humans, *Gymnorhina tibicen* 85-90

Intermediate Egret 108-119

Introduced predators 105

Jacky Winter 157-169

JAENSCH, S.M. see RAIDAL, S.

JAMESON, G. see WEBSTER, A.

JANSEN, A. Home ranges and group-territoriality in Chowchillas *Orthonyx spaldingii* 280-290

JOHNSON, D.D.P. & MIGHELL, J.S. Dry-season bird diversity in tropical rainforest and surrounding habitats in north-east Australia 108-120

JONES, D.N. see CILENTO, N.L.

JUIN, G. see BRIED, J.

JURISEVIC, M.A. Structural change of begging vocalisations and vocal repertoires in two hand-raised Australian passerines, the Little Raven *Corvus mellori* and White-winged Chough *Corcorax melanorhamphos* 1-8

KIKKAWA, JIRO Citation for D.L. Serventy Medal, 227

KIRKWOOD, R. & ROBERTSON, G. The occurrence and purpose of huddling by Emperor Penguins during foraging trips 40-45

KORTNER, G. & GEISER, F. Nesting behaviour and juvenile development of the Tawny Frogmouth *Podargus strigioides* 212-217

Lalage leucomela 108-119, *L. sueurii* 15-28, 108-119, 135-141

Large-billed Gerygone 108-119

Laughing Kookaburra 108-119

LAWSON, C. see TIDEMANN, S.C.

Leaden Flycatcher 108-119

LEDINGHAM, R. see TODD, F.S.

Lek of *Semioptera wallacii* 233

Lemon-bellied Flycatcher 108-119

Lewin's Honeyeater 69-72, 108-119

Lichenostomus albogularis 15-28, *L. chrysops* 69-72, 157-169, *L. cratitius* 157-169, *L. flavicollis* 108-119, *L. flavus* 108-119, *L. frenatus* 69-72, 108-119, *L. indistincta* 15-28, *L. leucotis* 157-169, *L. ornatus* 157-169, *L. penicillatus* 157-169, *L. unicolor* 15-28, *L. virescens* 157-169

LINDENMAYER, D.B., POPE, M.L. & CUNNINGHAM, R.B. Roads and nest predation: an experimental study in a modified forest system 148-152

Little Bronze-Cuckoo 108-119

Little Egret 108-119

Little Friarbird 15-28

Little Lorikeet 108-119

Little Penguin 74-80

Little Raven 1-8, 157-169

Little Shrike-thrush 108-119

Lonchura castaneothorax 108-119, *L. punctulata* 108-119

Lopholaimus antarcticus 108-119

Lovely Fairy-wren 108-119

LUCK, G.W., POSSINGHAM, H.P. & PATON, D.C. Bird responses at inherent and induced edges in the Murray mallee, South Australia 1. Differences in abundance and diversity 157-169

LUCK, G.W., POSSINGHAM, H.P. & PATON, D.C. Bird responses at inherent and induced edges in the Murray mallee, South Australia 2. Nest predation as an edge effect 170-175

Lycocorax pyrrhopterus 229-238

Machaerirhynchus flaviventer 108-119

Macleay's Honeyeater 69-72, 108-119

Macronectes giganteus 144

Macropygia amboinensis 108-119

Magpie Goose 121-134
Malurus amabilis 108-119, *M. lamberti* 157-169, *M. splendens* 157-169
Manorina flavigula 157-169, *M. melanocephala* 108-119
Mating system of *Anseranas semipalmata* 121-134
McGRATH, R.J. & BASS, D. Seed dispersal by Emus on the New South Wales north-east coast 248-252
Megapodius reinwardt 108-119
Melanodryas cucullata 157-169
Meliphaga gracilis 108-119, *M. lewinii* 69-72, 108-119, *M. notata* 108-119
Melithreptus brevirostris 157-169, *M. lunatus* 69-72
Menura novaehollandiae 46-59
Merops ornatus 108-119
Metallic Starling 108-119
Microeca fascinans 157-169, *M. flavigaster* 108-119
MIGHELL, J.S. see JOHNSON, D.D.P.
Migration, post-fledging, of *Diomedea chrysostoma* 29-35, *D. melanophrys* 29-35
Milvus migrans 108-119
Mistletoebird 108-119
Monarcha leucotis 108-119, *M. melanopsis* 108-119, *M. trivirgatus* 108-119
Mortality and survival of *Diomedea exulans* 242
Moults and plumages of *Menura novaehollandiae* 46-59
Movements of *Diomedea chrysostoma* 29-35, *D. exulans* 60-68, *D. melanophrys* 29-35
MULDER, R. (review by) 298-299
Mulga Parrot 157-169
Murphy's Petrel 100-107
Myiagra alecto 108-119, *M. cyanoleuca* 108-119, *M. inquieta* 157-169, *M. rubecula* 108-119
Myzomela erythrocephala 15-28, *M. obscura* 15-28, 108-119, *M. sanguinolenta* 108-119
Nankeen Kestrel 291-292
Nectar feeding 15-28
Nectar feeding by *Aprosmictus erythropterus* 135-141, *Artamus cinereus* 135-141, *A. leucorhynchus* 135-141, *A. minor* 135-141, *Cacatua sanguinea* 135-141, *Chlamydera nuchalis* 135-141, *Coracina papuensis* 135-141, *Corvus orru* 135-141, *Cracticus nigrogularis* 135-141, *C. torquatus* 135-141, *Dicaeum hirundinaceum* 135-141, *Dicrurus bracteatus* 135-141, *Lalage sueurii* 135-141, *Oriolus flavicinctus* 135-141, *O. sagittatus* 135-141, *Pachycephala rufiventris* 135-141, *Pardalotus striatus* 135-141, *Platycercus venustus* 135-141, *Pomatostomus temporalis* 135-141, *Sphecotheres viridis* 135-141, *Taeniopygia bichenovii* 135-141
Nectarinia jugularis 108-119
NEL, D.C. see RYAN, P.G.
Neochmia modesta 108-119
Nest and nest site of *Anthochaera carunculata* 91-99, *Diomedea exulans* 243, *Erythrura gouldiae* 191-199, *Philemon corniculatus* 91-99
Nest attendance pattern, *Anseranas semipalmata* 121-134
Nest hollows 262-279
Nest predation 148-152, 262-279
Nest predation, edge effects on 170-175
Nest and nest site of *Calyptorhynchus lathami* 262-279
New Zealand Robin 222-226
Ninox strenua 80-83
Nocturnal activity of *Aegotheles cristatus* 253-261
Noisy Miner 108-119
Noisy Pitta 108-119
NORMAN, F.I. & WARD, S.J. Aspects of the ecology of South Polar Skuas *Catharacta maccormicki* at Hop Island, Rauer Group, East Antarctica 176-190
Northern Fantail 108-119
NOSKE, R.A. see FRANKLIN, D.C.
Nutmeg Mannakin 108-119
Oceanites oceanicus 144, 177
Olive-backed Oriole 15-28, 108-119
Orange-footed Scrubfowl 108-119
Oreoica gutturalis 157-169
Oriolus flavicinctus 15-28, 108-119, 135-141, *O. sagittatus* 15-28, 108-119, 135-141
Orthonyx spaldingii 280-290
Pachycephala inornata 157-169, *P. pectoralis* 108-119, 157-169, *P. rufiventris* 108-119, 135-141, 157-169
Pacific Baza 108-119
Pacific Black Duck 108-119
Pagodroma nivea 144, 177
Pale-yellow Robin 108-119
PALMEIRIM, J.M. see DUNCAN, P.
Paradise Crow 229-238
Pardalotus punctatus 157-169, *P. striatus* 135-141, 157-169
Parental investment 121-134
PATON, D.C. see LUCK, G.W.
PEDLER, L.P. see GARNETT, S.T.
Pelecanoides georgicus 72-74, *P. urinatrix* 72-74
Peregrine Falcon 291-292
PETER, J.M. The Eastern Bristlebird *Dasyornis broadbenti* at the eastern edge of its range: selected aspects of distribution, habitat and ecology 9-14
Petroica australis 222-226, *P. goodenovii* 157-169
Phaps chalcoptera 157-169
Philemon argenticeps 15-28, 108-119, *P. buceroides* 108-119, *P. citreogularis* 15-28, *P. corniculatus* 91-99
Phylidonyris albifrons 157-169, *P. nigra* 69-72
Physiology of *Aptenodytes forsteri* 40-45
Physiology, huddling 40-45
Pied Currawong 69-72
Pied Imperial-Pigeon 108-119
Pied Monarch 108-119
Pitta versicolor 108-119
Platycercus elegans 69-72, *P. venustus* 135-141
Plectorhyncha lanceolata 157-169
Plum-headed Finch 108-119
Podargus strigioides 212-217
POLACHECK, T. see TUCK, G.N.

Polynesia 100-107
Pomatostomus superciliosus 157-169, *P. temporalis* 135-141
POPE, M.L. see LINDENMAYER, D.B.
Population size of *Anous minutus* 100-107, *A. stolidus* 100 107, *Aptenodytes forsteri* 142-145, *Diomedea exulans* 239-247, *Gygis alba* 100-107, *Lycocorax pyrrhopterus* 229-238, *Nesofregetta fuliginosa* 100-107, *Phaethon lepturus* 100-107, *P. rubricauda* 100-107, *Procelsterna cerulea* 100-107, *Pseudobulweria rostrata* 100-107, *Pterodroma arminjoniana* 100-107, *P. ultima* 100-107, *Puffinus lherminieri* 100-107, *P. nativitatis* 100-107, *P. pacificus* 100-107, *Semioptera wallacii* 229-238, *Sula leucogaster* 100-107
POSSINGHAM, H.P. see LUCK, G.W.
POULSEN, M.K. see FRITH, C.B.
Powerful Owl 80-83
POWYS, V. Weebill vocalisations – an undescribed trill 295-297
Predation by *Ephippiorhynchus asiaticus* 145-147, *Trichosurus vulpecula* 262-279
Predation of artificial nests 148-152, *Calyptorhynchus lathami* 262-279
PRINCE, P.A. see TUCK, G.N.
Productivity of *Calyptorhynchus lathami* 262-279, *Diomedea exulans* 243
Productivity, see Ecology, demography
Psephotus varius 157-169
Psitteuteles versicolor 15-28
Psophodes olivaceus 108-119
Ptilinopus magnificus 108-119, *P. regina* 108-119, *P. superbus* 108-119
Ptilonorhynchus violaceus 69-72
Ptiloris victoriae 69-72, 108-119
Purple-crowned Lorikeet 157-169
Purple-gaped Honeyeater 157-169
Pygoscelis adeliae 144, 176-190
RAIDAL, S., JAENSCH, S.M. & ENDE, J. Preliminary report of a parasitic infection of the brain and eyes of a Peregrine Falcon *Falco peregrinus* and Nankeen Kestrels *Falco cenchroides* in Western Australia 291-292
Rainbow Bee-eater 108-119
Rainbow Lorikeet 15-28, 69-72, 108-119
Ramsayornis modestus 108-119
Red Wattlebird 157-169
Red-capped Robin 157-169
Red-headed Honeyeater 15-28
Red-necked Stint 218-222
Red-tailed Tropicbird 100-107
Red-winged Parrot 15-28, 108-119
RENNER, M. & DAVIS, L.S. Sexing Little Penguins *Eudyptula minor* from Cook Strait, New Zealand, using discriminant function analysis 74-80
Restless Flycatcher 157-169
Rhipidura fuliginosa 108-119, 157-169, *R. leucophrys* 157-169, *R. rufifrons* 69-72, 108-119, *R. rufiventris* 108-119
Richard's Pipit 157-169
ROBERTSON, G. see KIRKWOOD, R.
Rose-crowned Fruit-Dove 108-119
ROWLEY, I. & RUSSELL, E. Fairy-wrens and Grasswrens (Review) 298-299
Royal Albatross 200-211
Rufous Fantail 69-72, 108-119
Rufous Whistler 108-119, 157-169
Rufous-banded Honeyeater 15-28
RYAN, P.G. & NEL, D.C. Foraging behaviour of diving petrels *Pelecanoides* 72-74
SAGAR, P.M. see WAUGH, S.M.
Sap, as food resource 69-72
Satin Bowerbird 69-72
Satin Flycatcher 108-119
Scaly-breasted Lorikeet 69-72, 108-119
Scarlet Honeyeater 108-119
Semioptera wallacii 229-238
SERVENTY MEDAL, Citation of Jiro Kikkawa for, 227
Sex ratio of *Calyptorhynchus lathami* 262-279
Sex determination of *Diomedea exulans* 239-247
Shining Flycatcher 108-119
Shy Heathwren 157-169
Silver-crowned Friarbird 15-28, 108-119
Silvereye 108-119, 157-169
Singing Honeyeater 157-169
Smicrornis brevirostris 157-169, 295-297
SMITH, L.H. Structural changes in the main rectrices of the Superb Lyrebird *Menura novaehollandiae* in the development of the filamentary feathers 46-59
Snow Petrel 144, 177
Social organisation of *Orthonyx spaldingii* 280-290
Sonagrams of *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Smicrornis brevirostris* 295-297
South Georgia 60-68
South Georgian Diving Petrel 72-74
South Polar Skua 144
Southern Fulmar 176-190
Southern Giant Petrel 144
Southern Scrub-robin 157-169
Southern Whiteface 157-169
Spangled Drongo 15-28, 108-119
Spectacled Monarch 108-119
Sphecotheres viridis 15-28, 108-119, 135-141
Spiny-cheeked Honeyeater 157-169
Splendid Fairy-wren 157-169
SPLETTSTOESSER, J.S. see TODD, F.S.
Spotted Catbird 108-119
Spotted Harrier 108-119
Spotted Pardalote 157-169
Standardwing Bird of Paradise 229-238
Sterna vittata 144

Straw-necked Ibis 108-119
Strepera graculina 69-72, *S. versicolor* 157-169
Striated Pardalote 157-169
Striped Honeyeater 157-169
Sulphur-crested Cockatoo 69-72, 108-119
Superb Fruit-Dove 108-119
Superb Lyrebird 46-59
Taeniopygia bichenovii 135-141
Tahiti Petrel 100-107
Tawny Frogmouth 212-217
Techniques, archival tags 60-68, measurement of nocturnal activity 253-261
Territory and home range of *Orthonyx spaldingii* 280-290
Thalassoica antarctica 176-190
THIBAULT, J-C. & BRETAGNOLLE, V. Breeding seabirds of Gambier Island, eastern Polynesia: numbers and changes during the 20th century 100-107
Threskiornis molucca 108-119, *T. spinicollis* 108-119
TIDEMANN, S.C., LAWSON, C., ELVISH, R., BOYDEN, J. & ELVISH, J. Breeding biology of the Gouldian Finch *Erythrura gouldiae*, an endangered finch of northern Australia 191-199
TODD, F.S., SPLETTSTOESSER, J.S., LEDINGHAM, R. & GAVRILO, M. Observations in some Emperor Penguin *Aptenodytes forsteri* colonies in east Antarctica 142-145
Todiramphus macleayii 108-119
Topknot Pigeon 108-119
Tree Martin 157-169
Tregellasia capito 108-119
Trichoglossus chlorolepidotus 69-72, 108-119, *T. haemotodus* 15-28, 69-72, 108-119
TUCK, G.N., POLACHECK, T., CROXALL, J.P., WEIMERSKIRCH, H., PRINCE, P.A. & WOTHERSPOON, S. The potential of archival tags to provide long-term movement and behaviour data for seabirds: first results from Wandering Albatross *Diomedea exulans* of South Georgia and the Crozet Islands 60-68
Varied Lorikeet 15-28
Varied Sitella 157-169
Varied Triller 108-119
Variegated Fairy-wren 157-169
Victoria's Riflebird 69-72, 108-119
Vocalisations of *Corcorax melanorhamphos* 1-8, *Corvus mellori* 1-8, *Smicrornis brevirostris* 295-297
Vocalisations, begging 1-8, development 1-8, vocal repertoire 1-8
WALKER, K. & ELLIOTT, G. Population changes and biology of the Wandering Albatross *Diomedea exulans gibsoni* at the Aucklands Islands 239-247
WALLIS, R. see WEBSTER, A.
Wandering Albatross 60-68, 239-247
WARD, S.J. see NORMAN, F.I.
WAUGH, S.M., SAGAR, P.M. & COSSEE, R.O. New Zealand Black-browed Albatross *Diomedea melanophrys impavida* and Grey-headed Albatross *D. chrysostoma* banded at Campbell Island: recoveries from the South Pacific region 29-35
WEBB, P.I. see DUNCAN, P.
WEBSTER, A., COOKE, R., JAMESON, G. & WALLIS, R. Diet, roosts and breeding of Powerful Owls *Ninox strenua* in a disturbed urban environment: a case for cannibalism? or a case for infanticide? 80-83
Wedge-tailed Shearwater 100-107
Weebill 157-169, 295-297
Weights and measurements of *Diomedea exulans* 242
WEIMERSKIRCH, H. see TUCK, G.N.
Whistling Kite 108-119
White Tern 100-107
White-bellied Cuckoo-shrike 108-119
White-browed Babbler 157-169
White-cheeked Honeyeater 69-72
White-eared Honeyeater 157-169
White-eared Monarch 108-119
White-fronted Honeyeater 157-169
White-gaped Honeyeater 15-28
White-naped Honeyeater 69-72
White-necked Heron 108-119
White-plumed Honeyeater 157-169
White-rumped Swiftlet 108-119
White-tailed Tropicbird 100-107
White-throated Honeyeater 108-119
White-throated Storm-Petrel 100-107
White-throated Treecreeper 69-72
White-winged Chough 1-8, 157-169
White-winged Triller 15-28, 108-119
WHITEHEAD, P.J. Aspects of the nesting biology of the Magpie Goose *Anseranas semipalmata*: incubation period, hatching synchrony and patterns of nest attendance and defence 121-134
WHITING, S.D. & GUINEA, M.L. Nocturnal foraging by the Black-necked Stork *Ephippiorhynchus asiaticus* on sea turtle hatchlings 145-147
WIACEK, R.S. see BRIGHAM, R.M.
Willie Wagtail 157-169
Wilson's Storm-petrel 144, 176
Wompoo Fruit-Dove 108-119
WOTHERSPOON, S. see TUCK, G.N.
Xanthotis macleayana 69-72, 108-119
Yellow Honeyeater 108-119
Yellow Oriole 15-28, 108-119
Yellow-bellied Sunbird 108-119
Yellow-breasted Boatbill 108-119
Yellow-faced Honeyeater 69-72, 157-169
Yellow-plumed Honeyeater 157-169
Yellow-rumped Thornbill 157-169
Yellow-spotted Honeyeater 108-119
Yellow-throated Miner 15-28, 157-169
Zosterops lateralis 108-119, 157-169